



sophisticated
since 1908



Eggersmann – a 110-year-old, 4th Generation German company, is the oldest family owned kitchen manufacturer in Germany.

At Eggersmann we are focused on individual designs and have taken modern to the next level with our UNIQUE collection that features furniture designs using genuine granite, marble, quartz and steel finishes. As an FSC Certified manufacturer, Eggersmann is always considering and improving the carbon footprint and environmental effect on the planet. As an industrial manufacturer Eggersmann offers the largest collection of engineered wood veneers and environmentally friendly lacquered surfaces in high-gloss, textured, and matt with unlimited color combinations! Eggersmann has a brand reputation for the flexibility in custom cabinetry design and sizing along with award winning state-of-the-art components and accessories.



For many years, Eggersmann has been an in-demand and successful partner for the outfitting of projects of all sizes, ranging from a very exclusive villa to a large-scale development with several hundred kitchens. Cabinetry and Casework from Eggersmann fulfill all the demands made by discerning clientele and premium developers with regard to logistics, planning, brand recognition, aesthetics and quality.

The experience in international projects around the globe will bring value to your home or development. Eggersmann can offer perfect order handling, competent and talented in-house design and processing team, high-performing and extremely flexible products and a program containing internationally oriented design trends for every market. All of this comes together to create the best team for successful cooperation and exceeding customer's satisfaction around the world.



Eggersmann distribution partners, located in each global market center, are the direct contacts for designers, architects and developers to discuss and design projects of all types and sizes.

Together ensure perfect handling along with installation, shipping logistics, site management, and after-sales service and concierge support.

Awards



DESIGNPREIS
DEUTSCHLAND



GOOD DESIGN
AWARD



INTERIOR
INNOVATION
AWARD



RED DOT
AWARD



IF DESIGN
AWARD

Certificates



The mark of
responsible forestry



eggersmann usa
150 East 58th Str.
New York, NY 10155
USA

T +212.688.4910
F +212.688.4940

info@eggersmannusa.com


Front finish:	Melamine decor
Edges:	1.3 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



2301 opal white


- Melamine surfaces and soft edges offer a light fastness of level 6 according to the blue scale (wool scale). Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.

Further door finishes / Colour codes with descriptions



182 dark grey

Front finish: Melamine decor Fine Matt
Edges: 1.3 mm soft edges
Front finish reverse side: matching front side
Front thickness: 19 mm
Front base: triple-ply chipboard
Front weight: 13.2 kg/m²



2305 terra

- color-matching handles please see page 46
- Melamine surfaces and soft edges offer a light fastness of level 6 according to the blue scale (wool scale). Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.


Further door finishes / Colour codes with descriptions



2306 pearl white



2307 kashmir




2308 graphite




2309 light grey



2310 platinum grey



2311 umbra



2312 sand grey

TUNIS

Front finish:	Melamine decor
Edges:	1.3 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



2905 Walnut, horizontal
2805 Walnut

Melamin wood grain finishes will not be grain matched. *

Shelves, finished side panels, back panels are vertical finished.

* Optional Decor Grain Matching

- Vertical grain matching is possible up to max. material height.
- **A 30% surcharge on the grain matched parts is required.**
Use code MPMGRM.
Only charge grain matching code on parts you are matching. i.e. a single base door cabinet does not need vertical grain match charge. A 2 drawer 1 pull out unit with grain matching would require the charge.
- **Horizontal grain matching is not available.**
- Grain matching cannot be achieved on ceiling filler, plinth panel or DGL profile.
- Melamine surfaces and soft edges offer a light fastness of level 6 according to the blue scale (wool scale). Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.


Further door finishes / Colour codes with descriptions



2806 light oak
2906 light oak, horizontal



2902 Halifax oak, horizontal
2802 Halifax oak



2811 Chestnut
2911 Chestnut, horizontal



2812 Bardolino grey oak
2912 Bardolino grey oak, horizontal

Front finish:	Melamine decor, with embossed surface
Edges:	1 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



2815 Missouri anthracite oak
2915 Missouri anthracite oak, horizontal

Melamin wood grain finishes will not be grain matched. *

Shelves, finished side panels, back panels are vertical finished.

* Optional Decor Grain Matching

- Vertical grain matching is possible up to max. material height.
- **A 30% surcharge on the grain matched parts is required.**
Use code MPMGRM.
 Only charge grain matching code on parts you are matching. i.e. a single base door cabinet does not need vertical grain match charge. A 2 drawer 1 pull out unit with grain matching would require the charge.
- **Horizontal grain matching is not available.**
- Grain matching cannot be achieved on ceiling filler, plinth panel or DGL profile.
- Melamine surfaces and soft edges offer a light fastness of level 6 according to the blue scale (wool scale). Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.

Further door finishes / Colour codes with descriptions



2807 Ash white
2907 Ash white, horizontal



2808 Acacia light
2908 Acacia light, horizontal



2809 Acacia dark
2909 Acacia dark, horizontal



2810 Acacia silver
2910 Acacia silver, horizontal



2904 Pembroke oak, horizontal
2804 Pembroke oak



2813 Missouri sand oak
2913 Missouri sand oak, horizontal



2814 Missouri grey oak
2914 Missouri grey oak, horizontal




2816 Missouri brown oak
2916 Missouri brown oak, horizontal



2817 Missouri black oak
2917 Missouri black oak, horizontal

MACAU


Front finish:	Laminate Xtreme Matt
Edges:	1.3 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	14 kg/m ²



2707 kashmir

- **color-matching handles please see page 46**
- Laminate surfaces and soft edges offer a light fastness of level 6 according to the blue scale (wool scale). Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.

Further door finishes / Colour codes with descriptions



2705 terra



2706 pearl white




2708 graphite



2759 light grey



2760 platinum grey



2761 umbra



2762 sand grey

SYDNEY

Front finish:	Melamin decor with UV coating PerfectSense matt
Edges:	1.3 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	MDF core
Front weight:	15.5 kg/m ²



2303 metal decor steel dark

- Melamine surfaces and soft edges offer a light fastness of level 6 according to the blue scale (wool scale). Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.


Front finish:	Laminate with nano surface and soft touch effect
Edges:	1.2 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	MDF core
Front weight:	14.3 kg/m ²




2714 Nano iron grey

■ Laminate surfaces and soft edges offer a light fastness of level 6 according to the blue scale (wool scale). Please note that due to the effects of light (e.g. continued direct sunlight), unsuitable cleaning agents or steam from cooking environment, color changes may nevertheless occur. Depending on the situation and intensity of the effects a possible discoloration (yellowing) of the surface and the edging material may also vary.

Further door finishes / Colour codes with descriptions




2711 Nano grigio




2712 Nano black




2713 Nano lotus white



2715 Nano grey



2716 Nano taupe



2717 Nano diamond grey



2718 Nano polar white



2719 Nano green grey


NEVADA

Front finish:	Melamin decor
Edges:	1.0 mm soft edges
Front finish reverse side:	matching front side
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



2830 Reflex bronze
2930 Reflex bronze, horizontal

Further door finishes / Colour codes with descriptions



2831 Reflex graphite
2931 Reflex graphite, horizontal



2832 Reflex blue
2932 Reflex blue, horizontal


DALLAS

Front finish:	high-gloss lacquered
Edges:	1.3 mm glossy soft edges
Front finish reverse side:	matching high-gloss lacquered
Front thickness:	19 mm
Front base:	MDF core
Front weight:	15.5 kg/m ²




2602 alpine white, high-gloss

Further door finishes / Colour codes with descriptions



2604 icy white, high gloss




2605 grigio, high-gloss



2607 grey brown, high-gloss




2608 light grey, high-gloss



2609 stone grey, high-gloss

ANCONA

Front finish: Fine textured lacquer
Edges: 2 mm rounded edges
Front finish reverse side: matching lacquered
Front thickness: 19 mm
Front base: MDF core
Front weight: 15.4 kg/m²




526 cappuccino, fine textured

This door style can be offered in any RAL or NCS color at an additional charge.



Further door finishes / Colour codes with descriptions




520 white, fine textured



531 graphite grey, fine textured




536 lava, fine textured




539 snow white, fine textured



8315 terra, fine textured




8316 pearl white, fine textured




8317 kashmir, fine textured




8318 graphite, fine textured



8319 light grey, fine textured



8320 platinum grey, fine textured



8321 umbra, fine textured




8322 sand grey, fine textured

surrounding colour **STL** fine textured, matt lacquered

MODENA

Front finish: Satin texture lacquer
Edges: 2 mm rounded edges
Front finish reverse side: matching lacquered
Front thickness: 19 mm
Front base: MDF core
Front weight: 15.8 kg/m²




8408 graphite, satin texture lacquer

This door style can be offered in any RAL or NCS color at an additional charge.



Further door finishes / Colour codes with descriptions




8405 terra, satin texture lacquer




8406 pearl white, satin texture lacquer



8407 kashmir, satin texture lacquer




8432 black, satin texture lacquer




8409 light grey,
satin texture lacquer



8410 platinum grey,
satin texture lacquer



8411 umbra,
satin texture lacquer



8412 sand grey,
satin texture lacquer

surrounding colour SL Satin texture lacquer

KARAT Matt

Front finish: Matt lacquered
Edges: 2 mm rounded edges
Front finish reverse side: matching lacquered
Front thickness: 19 mm
Front base: MDF core
Front weight: 15.4 kg/m²



332 graphite grey, matt lacquered

This door style can be offered in any RAL or NCS color at an additional charge.



Further door finishes / Colour codes with descriptions



325 titanium, matt lacquered



329 cappuccino, matt lacquered




339 snow white, matt lacquered



380 white, matt lacquered



381 dark grey, matt lacquered



8004 icy white, matt lacquered

KARAT HIGH GLOSS

Front finish: High-gloss lacquered
Edges: 2 mm rounded edges
Front finish reverse side: matching **matt** lacquered
Front thickness: 19 mm
Front base: MDF core
Front weight: 15.8 kg/m²

Type 4




588 alpine white, high-gloss

Further door finishes / Colour codes with descriptions



8604 icy white, high-gloss




8616 pearl white, high-gloss

KARAT HIGH GLOSS

Front finish: High-gloss lacquered
Edges: 2 mm rounded edges
Front finish reverse side: matching **matt** lacquered
Front thickness: 19 mm
Front base: MDF core
Front weight: 15.8 kg/m²

Type 5




8617 kashmir, high-gloss

This door style can be offered in any RAL or NCS color at an additional charge.




Further door finishes / Colour codes with descriptions



584 dark grey, high-gloss



596 cappuccino, high-gloss




597 graphite grey, high-gloss




8600 snow white, high-gloss



8615 terra, high-gloss




8618 graphite, high-gloss



8619 light grey, high-gloss



8620 platinum grey, high-gloss



8621 umbra, high-gloss




8622 sand grey, high-gloss

surrounding colour **HG** High-gloss lacquered

VENTURA

Front finish:	Effect lacquer
Edges:	2 mm rounded edges
Front finish reverse side:	color-adapted lacquered
Front thickness:	19 mm
Front base:	MDF core
Front weight:	15.8 kg/m ²



8008 Effect lacquer, steelgrey

- Every Ventura front panel is unique!
The effect lacquer finish is made by hand. Slight differences in color intensity, shading or in the grinding pattern, which may have the effect that the color shade appears different, are preserved as characteristic for this handmade finish and feature the furniture parts their unique charisma.
- For additions to a delivered kitchen, a reference sample from the original delivery is required prior production.

Further door finishes / Colour codes with descriptions



8010 Effect lacquer, bronze



8011 Effect lacquer, copper



8012 Effect lacquer, silver



8013 Effect lacquer,
Brushed Brass light



8014 Effect lacquer, Dark Brass

surrounding colour

EL

Effect lacquer, matt

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²

Type 4



Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- If horizontal veneered grain will not be grain matched as standard.
Grain matched veneer processing can be supplied at an additional charge of 15% for horizontal veneer.

3518 brushed core ash light
5518 brushed core ash light, horizontal veneered*

* Shelves, finished carcase side panels, back panels are vertical veneered as standard.

Further door finishes / Colour codes with descriptions



433 Finline grigio
444 Finline grigio horizontal veneered*



493 Finline oak anthracite
494 Finline oak anthracite horizontal veneered*




3510 brushed oak silverbrown
5510 brushed oak silverbrown, horizontal veneered*



3522 Finline wenge
5522 Finline wenge, horizontal veneered*

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²

Type 4



Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- If horizontal veneered grain will not be grain matched as standard.
- Grain matched veneer processing can be supplied at an additional charge of 15% for horizontal veneer.

3535 Smoked oak planked, brushed
5535 Smoked oak planked, brushed, horizontal veneered* * Shelves, finished carcass side panels, back panels are vertical veneered as standard.

Further door finishes / Colour codes with descriptions



559 oak smoked, brushed
569 oak smoked, brushed, horizontal veneered*



3519 brushed core ash anthracite
5519 brushed core ash anthracite, horizontal veneered*



3547 light oak brushed
5547 light oak brushed, horizontal veneered*



3548 Smoked larch
5548 Smoked larch, horizontal veneered*



3555 Oak basalt black, brushed
5555 Oak basalt black, brushed, horizontal veneered*



3558 Finition Grey Lati
5558 Finition Grey Lati, horizontal veneered*



3561 Oak grey brown bicolor, brushed
5561 Oak grey brown bicolor, brushed, horizontal veneered*

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²

Type 4



Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- If horizontal veneered grain will not be grain matched as standard.
- Grain matched veneer processing can be supplied at an additional charge of 15% for horizontal veneer.

3563 Black Walnut
5563 Black Walnut, horizontal veneered* * Shelves, finished carcass side panels, back panels are vertical veneered as standard.

Further door finishes / Colour codes with descriptions



3527 walnut,
5527 walnut,
horizontal veneered*



3530 Fineline grafite black
5530 Fineline grafite black,
horizontal veneered*



3534 Fineline Maro ebony
5534 Fineline Maro ebony,
horizontal veneered*



3545 Oak dark brown riftcut
5545 Oak dark brown riftcut,
horizontal veneered*



3554 sand oak
5554 sand oak,
horizontal veneered*



5506 walnut satin,
horizontal veneered*
3506 walnut satin



3660 Core Walnut
5660 Core Walnut,
horizontal veneered*

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²

Type 5



Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- If horizontal veneered grain will not be grain matched as standard.
Grain matched veneer processing can be supplied at an additional charge of 15% for horizontal veneer.

3549 Silver oak oiled
5549 Silver oak oiled, horizontal veneered*
* Shelves, finished carcass side panels, back panels are vertical veneered as standard.

Further door finishes / Colour codes with descriptions



3559 Finline Striped Sand
5559 Finline Striped Sand, horizontal veneered*



3564 Finline Walnut
5564 Finline Walnut, horizontal veneered*

Front finish: Wood veneered, embossed
Edges: 1 mm edges on all sides matching
Front finish reverse side: matching veneered non-embossed
Front thickness: 18 mm
Front base: triple-ply chipboard
Front weight: 12.9 kg/m²

Type 5



Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

■ Wood veneer grain will not be grain matched if horizontal veneered.

3532 Finition Maro ebony embossed
5532 Finition Maro ebony, embossed, horizontal veneered*

* Shelves, finished carcasse side panels, back panels are vertical veneered as standard.

Further door finishes / Colour codes with descriptions



669 fineline oak grey, embossed
679 fineline oak, grey embossed, horizontal veneered*



3531 Finition wenge embossed
5531 Finition wenge embossed, horizontal veneered*



3533 Sisal black embossed
5533 Sisal black embossed, horizontal veneered*



3560 Core Walnut embossed
5560 Core Walnut embossed, horizontal veneered*

Front finish:	Wood veneered
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

■ Wood veneer grain will not be grain matched if horizontal veneered.

3562 Barrel oak
5562 Barrel oak, horizontal veneered*


* Shelves, finished carcass side panels, back panels are vertical veneered as standard.

Further door finishes / Colour codes with descriptions



3538 Barrel oak, silver-grey oiled
5538 Barrel oak, silver-grey oiled,
horizontal veneered*

Front finish:	Noble wood veneered fronts feature veneers from precious and unusual trees
Edges:	1 mm edges on all sides
Front finish reverse side:	veneer grain may not be matched and due to the precious nature of some veneers may be of lesser grade veneer
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



5511 Macassar Amaro, horizontal

The veneers of the NOBLE VENEER COLLECTION are hand picked and are grain matched or book matched according to required approved samples.

A veneer sample approval is required prior to producing furniture with NOBLE VENEER COLLECTION.

The sample will be produced 400 x 400 mm on 6 mm thick panel material. The edges and back will not be finished.

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- **Horizontal grain direction**
- **Shelves, side panels and plinth panels with grain matched veneer processing are available.**
- **Finished carcass sides, open shelf units and L-profil grip DGL are also available in these veneers but the veneer processing will be uncontinuous.**

Further door finishes / Colour codes with descriptions



5513 Satin Walnut, horizontal



5515 Palisander, horizontal



5516 Copper oak, brushed, horizontal



5517 oak smoked with variations, brushed, horizontal



5556 Smoked Eucalyptus, horizontal



5551 Anigre silver, horizontal

surrounding colour

NV

Noble Veneer

Front finish:	Noble wood veneered fronts feature veneers from precious and unusual trees
Edges:	1 mm edges on all sides
Front finish reverse side:	veneer grain may not be matched and due to the precious nature of some veneers may be of lesser grade veneer
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	12.9 kg/m ²



3511 Macassar Amaro

The veneers of the NOBLE VENEER COLLECTION are hand picked and are grain matched or book matched according to required approved samples.

A veneer sample approval is required prior to producing furniture with NOBLE VENEER COLLECTION.

The sample will be produced 400 x 400 mm on 6 mm thick panel material. The edges and back will not be finished.

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- **Vertical grain direction**
- **Shelves, side panels and plinth panels with grain matched veneer processing are available.**
- **Finished carcass sides, open shelf units and L-profil grip DGL are also available in these veneers but the veneer processing will be uncontinuous.**

Further door finishes / Colour codes with descriptions



3513 Satin Walnut



3515 Palisander



3516 Copper oak, brushed



3517 oak smoked with variations, brushed



3556 Smoked Eucalyptus



3551 Anigre silver

surrounding colour

NV

Noble Veneer

Front finish:	Noble wood veneered fronts feature veneers from precious and unusual trees.
Edges:	1 mm edges on all sides
Front finish reverse side:	veneer grain may not be matched and due to the precious nature of some veneers may be of lesser grade veneer
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



5711 Macassar Amaro, horizontal, high-gloss lacquered on all sides

The veneers of the NOBLE VENEER COLLECTION are hand picked and are grain matched or book matched according to required approved samples.

A veneer sample approval is required prior to producing furniture with NOBLE VENEER COLLECTION.

The sample will be produced 400 x 400 mm on 6 mm thick panel material. The edges and back will not be finished.

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- **Horizontal grain direction**
- **Shelves, side panels and plinth panels with grain matched veneer processing are available.**
- **Finished carcass sides, open shelf units and L-profil grip DGL are also available in these veneers but the veneer processing will be uncontinuous.**

Further door finishes / Colour codes with descriptions



5713 Satin Walnut, horizontal, high-gloss lacquered on all sides



5715 Palisander, horizontal, high-gloss lacquered on all sides



5716 Copper oak, horizontal, high-gloss lacquered on all sides



5756 Smoked Eucalyptus horizontal, high-gloss lacquered on all sides



5751 Anigre silver, horizontal, high-gloss lacquered on all sides

surrounding colour

NVHG

Noble Veneer, high-gloss lacquered

Front finish:	Noble wood veneered fronts feature veneers from precious and unusual trees.
Edges:	1 mm edges on all sides
Front finish reverse side:	veneer grain may not be matched and due to the precious nature of some veneers may be of lesser grade veneer
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	13.2 kg/m ²



3711 Macassar Amaro, high-gloss lacquered on all sides

The veneers of the NOBLE VENEER COLLECTION are hand picked and are grain matched or book matched according to required approved samples.

A veneer sample approval is required prior to producing furniture with NOBLE VENEER COLLECTION.

The sample will be produced 400 x 400 mm on 6 mm thick panel material.
The edges and back will not be finished.

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- Vertical grain direction
- Shelves, side panels and plinth panels with grain matched veneer processing are available.
- Finished carcass sides, open shelf units and L-profil grip DGL are also available in these veneers but the veneer processing will be uncontinuous.

Further door finishes / Colour codes with descriptions



3713 Satin Walnut
high-gloss lacquered
on all sides



3715 Palisander
high-gloss lacquered
on all sides



3716 Copper oak
high-gloss lacquered on all sides



3756 Smoked Eucalyptus
high-gloss lacquered on all sides



3751 Anigre silver,
high-gloss lacquered on all sides

Front finish:	Wood veneered fronts with vertical plank style
Edges:	1 mm edges on all sides
Front finish reverse side:	veneered, with plank style
Front thickness:	20 mm
Front base:	MDF black
Front weight:	15,9 kg/m ²



3563 Black Walnut

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without plank style.
- Groove grid is 100 mm
- Drillings for handles are not available.
- Handles 88.510 - 88.513 and 88.530 - 88.535 are available

Further door finishes / Colour codes with descriptions



3519 brushed core ash anthracite

Front finish:	Wood veneered front with vertical groove shape
Edges:	1 mm edges on all sides matching
Front finish reverse side:	matching veneered
Front thickness:	21 mm
Front base:	triple-ply chipboard
Front weight:	14.3 kg/m ²



3549 Silver oak oiled

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- Wood veneer grain will not be grain matched if vertical veneered.
- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without groove shape.
- Handles/Drillings for handles are not available.
- Maximum frontpanel dimensions (HxW): 2345 x 950 mm / 806 x 1250 mm.

Further door finishes / Colour codes with descriptions



3554 Sand oak



3555 Oak basalt black brushed



3561 Oak grey brown bicolor, brushed

Front finish: Satin texture lacquer with vertical groove shape
Edges: 1 mm edges on all sides matching
Front finish reverse side: matching matt lacquered
Front thickness: 22 mm
Front base: MDF core
Front weight: 15.9 kg/m²



8407 kashmir, satin texture lacquer

■ This door style can be offered in any RAL or NCS color at an additional charge.



- Shelves, finished carcass side panels, back panels are vertical veneered as standard, without groove shape.
- Handles/Drillings for handles are not available.


Further door finishes / Colour codes with descriptions



8405 terra, satin texture lacquer



8406 pearl white, satin texture lacquer



8408 graphite, satin texture lacquer



8409 light grey, satin texture lacquer



8410 platinum grey, satin texture lacquer



8411 umbra, satin texture lacquer



8412 sand grey, satin texture lacquer



8432 black, satin texture lacquer

CHABLIS

Front finish:	wood veneered, vintage oak, embossed
Edges:	1 mm edges on all sides
Front finish reverse side:	veneered, embossed
Front thickness:	20 mm
Front base:	triple-ply chipboard
Front weight:	10.7 kg/m ²



3520 Vintage oak*
5520 Vintage oak, horizontal*


Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

- **Open shelf units, finished side panels and interior carcass color for glass door units are solely available in non-embossed veneer F**
Order no. 3620/5620 Vintage oak
- * **Shelves, side panels, etc. are available in 20 mm, 50 mm and 100 mm thickness, and are vertical veneered as standard.**
- **Wood veneer grain will not be grain matched if vertical or horizontal veneered.**

TORINO

Front finish:	aluminum anodised
Edges:	1 mm flush aluminum edges on all sides
Front finish reverse side:	matching material
Front thickness:	19 mm
Front base:	triple-ply chipboard
Front weight:	16.9 kg/m ²



Further door finishes / Colour codes with descriptions



8908 Dark Bronze anodised



8909 Light Bronze anodised



8913 platinum grey anodised

MANHATTAN F

Front finish: Aluminum frame door with veneered center panel
Edges: Aluminum frame
Front finish reverse side: matching veneered
Front thickness: 24 mm
Front base: triple-ply chipboard
Front weight: 15.1 kg/m²

Type 7



3535 Smoked oak planked
5535 Smoked oak planked,
horizontal veneered*



Available finishes for the aluminum frame:

- MM Brass
- TP Titanium
- CG Chrome
- SW Black
- BR Bronze
- CB Carbongrey

■ Front panels cannot be fitted together.

Further door finishes / Colour codes with descriptions



3519 core ash light anthracite
5519 core ash light anthracite
horizontal veneered*



3527 walnut
5527 walnut,
horizontal veneered*




3530 Fineline grafite black
5530 Fineline grafite black,
horizontal veneered*


Additional veneer options for center panel on request.

Front finish: Aluminum frame door with satin texture lacquered center panel
Edges: Aluminum frame
Front finish reverse side: matching lacquered
Front thickness: 24 mm
Front base: MDF core
Front weight: 18 kg/m²

Type 7



8407 kashmir, satin texture lacquer



Available finishes for the aluminum frame:


- MM Brass
- TP Titanium
- CG Chrome
- SW Black
- BR Bronze
- CB Carbongrey

■ Front panels cannot be fitted together.


■ This door style can be offered in any RAL or NCS color at an additional charge.



Further door finishes / Colour codes with descriptions



8405 terra, satin texture lacquer




8406 pearl white, satin texture lacquer




8408 graphite, satin texture lacquer



8409 light grey, satin texture lacquer




8410 platinum grey, satin texture lacquer



8411 umbra, satin texture lacquer




8412 sand grey, satin texture lacquer




8432 black, satin texture lacquer

surrounding colour SL satin texture lacquer (without aluminum frame)

Front finish:	Aluminum frame door with high-gloss lacquered center panel	Type 7.10
Edges:	Aluminum frame	
Front finish reverse side:	matching lacquered	
Front thickness:	24 mm	
Front base:	MDF core	
Front weight:	18 kg/m ²	



8617 kashmir, high-gloss



Available finishes for the aluminum frame:


- | | |
|--|---------------|
| | MM Brass |
| | TP Titanium |
| | CG Chrome |
| | SW Black |
| | BR Bronze |
| | CB Carbongrey |

■ Front panels cannot be fitted together.

■ This door style can be offered in any RAL or NCS color at an additional charge.



Further door finishes / Colour codes with descriptions



8615 terra, high-gloss




8616 pearl white, high-gloss




8618 graphite, high-gloss



8409 light grey, high-gloss



8410 platinum grey, high-gloss



8411 umbra, high-gloss




8412 sand grey, high-gloss

surrounding colour	HG	high-gloss lacquer (without aluminum frame)
--------------------	----	---







Front finish:	Aluminum frame door with aluminum anodized center panel	Type 7.10
Edges:	Aluminum frame	
Front finish reverse side:	matching material	
Front thickness:	24 mm	
Front base:	triple-ply chipboard	
Front weight:	17.5 kg/m ²	



8909 Light Bronze anodised



Available finishes for the aluminum frame:


	MM Brass
	TP Titanium
	CG Chrome
	SW Black
	BR Bronze
	CB Carbongrey

■ Front panels cannot be fitted together.

Further door finishes / Colour codes with descriptions



929 aluminum anodised



8908 Dark Bronze anodised



8913 platinum grey anodised

Front finish: polished glassdoor with aluminum frame
Front finish reverse side: matt lacquered
Front thickness: 21 mm
Front weight: 17.6 kg/m²



4177 black



- For e:line system only available with Tip-On o Tipmatic or Sensomatic opening systems or with handle profiles 88.630 – 88.635
Handles and drillings for handles are not available.
- Front panels cannot be fitted together.
Front panels, fitting strips, corner posts and drawer panels smaller than 138 mm are produced with a 16 mm chipboard back panel with flush 1 mm aluminum edges.
The glass back panels of the pullout drawer-fronts are finished with melamine (4mm) in pearl grey.
- The aluminum frame can be supplied in any RAL colour at an additional charge of 5%.

■ This door style can be offered in any RAL or NCS color at an additional charge.




Further door finishes / Colour codes with descriptions



4176 traffic white



981 mirror grey



983 mirror bronze

VETRO satinato

Front finish:	frosted glassdoor with aluminum frame
Front finish reverse side:	matt lacquered
Front thickness:	21 mm
Front weight:	17.6 kg/m ²



4177 black



■ For e:line system only available with Tip-On o Tipmatic or Sensomatic opening systems or with handle profiles 88.630 – 88.635
Handles and drillings for handles are not available.

■ Front panels cannot be fitted together.

Front panels, fitting strips, corner posts and drawer panels smaller than 138 mm are produced with a 16 mm chipboard back panel with flush 1 mm aluminum edges.

The glass back panels of the pullout drawer-fronts are finished with melamine (4mm) in pearl grey.

■ The aluminum frame can be supplied in any RAL colour at an additional charge of 5%.


■ This door style can be offered in any RAL or NCS color at an additional charge.



Further door finishes / Colour codes with descriptions



4176 traffic white



980 optic glass mirror type



982 matelac bronze

TOKYO

Front finish: real concrete surface
Front finish reverse side: matt laquered
Front thickness: 19 mm
Front base: MDF core
Front weight: 15.4 kg/m²



8902 concrete dark

■ **Every Tokyo front panel is unique!**

The concrete finish is made by hand. Slight differences in color intensity and shading of the concrete plastering, which may have the effect that the color shade appears different, are preserved as characteristic for this handmade finish and feature the furniture parts their unique charisma.

Further door finishes / Colour codes with descriptions



8903 concrete light



8904 concrete terra



8906 concrete grey

surrounding colour

B

real concrete surface

BILBAO

Front finish: stainless steel cladde
Front finish reverse side: melamine dark grey
Front thickness: 20 mm
Front base: triple-ply chipboard
Front weight: 20.8 kg/m²



912 stainless steel, brushed

■ Please note the approved maximum front panel weight according to the dishwasher manufacturer specification.

Type 6

surrounding colour **E** stainless steel, brushed




911 stainless steel, eccentric grinding surface

■ Please note the approved maximum front panel weight according to the dishwasher manufacturer specification.

Type 6.05

surrounding colour **EES** stainless steel, eccentric grinding surface



914 stainless steel, high polished


■ Please note the approved maximum front panel weight according to the dishwasher manufacturer specification.

Type 7.10

surrounding colour **EHG** stainless steel, high polished

TOLEDO

Front finish: Frame door (frame width 6,5 mm), satin texture lacquer
Front finish reverse side: matching lacquered
Front thickness: 22 mm
Front base: MDF core
Front weight: 15.9 kg/m²



8408 graphite, satin texture lacquer

This door style can be offered in any RAL or NCS color at an additional charge.



Further door finishes / Colour codes with descriptions



8405 terra, satin texture lacquer



8406 pearl white, satin texture lacquer



8407 kashmir, satin texture lacquer



8409 light grey, satin texture lacquer



8410 platinum grey, satin texture lacquer



8411 umbra, satin texture lacquer



8412 sand grey, satin texture lacquer



8432 black, satin texture lacquer

surrounding colour SL satin texture lacquer

DAVOS

Front finish:	Framed door (frame with 6,5 mm), veneered
Front finish reverse side:	matching veneered
Front thickness:	22 mm
Front base:	triple-ply furniture board, frame solid wood
Front weight:	12.7 kg/m ²



3506 walnut satin
5506 walnut satin, horizontal

Wood is a natural product and subject to variation of color and graining. Slightly differences in color intensity and grain structure of the veneer are preserved as natural characteristics for this handmade finish and feature the furniture parts their unique charisma. It follows, therefore, that there will be differences between samples/images and the respective delivery of the wood items. Please also note that exposure to sunlight will lead to changes in color.

For additions to a delivered kitchen, a reference sample from the first delivery must be is required prior production.

Further door finishes / Colour codes with descriptions




3552 Platinum oak
5552 Platinum oak,
horizontal



3555 Oak basalt black brushed
5555 Oak basalt black brushed,
horizontal

Front finish:	Framed door lacquered, width of frame on top 70 mm, width of frame at the bottom 100 mm
Front finish reverse side:	matching lacquered
Front thickness:	21 mm
Front base:	MDF core
Front weight:	15.4 kg/m ²




380 white lacquered

- Only with drill hole B20 available
- Front panels with height < 247 mm are produced as plain panels without frame.


■ This door style can be offered in any RAL or NCS color at an additional charge.




Further door finishes / Colour codes with descriptions



66 blossom white, lacquered



328 cam , lacquered




329 cappuccino, lacquered



332 graphite grey, lacquered




335 toffee, lacquered




339 snow white, lacquered




381 dark grey, lacquered



386 pearl grey, lacquered




8004 icy white, lacquered



8005 shell, lacquered

surrounding colour ML matt lacquered


Front finish: Solid oak framed door (75 mm) with veneered center panel, matt lacquered
Front finish reverse side: matching lacquered
Front thickness: 21 mm
Front base: triple-ply chipboard
Front weight: 12.1 kg/m²




328 camé

- Wood is a natural product and subject to variation of colour and graining. It follows, therefore, that there will be differences between the samples/images and the respective delivery of the wood items. Please also note that sunlight will lead to changes in colour.
- Front panels with height <247 mm are produced as plain panels without frame.


Further door finishes / Colour codes with descriptions




329 cappuccino



380 white



405 terra



4177 black

Glass models



Clear glass



Parsol bronze



Parsol grey



Smoked glass

GA glance Aluminum frame glass door (front thickness 24 mm)

with integrated AIR-hinges at top and bottom carcass shelf. Only available as door with tip-on opening. Handles are not available.



MM Brass



TP Titanium



CG Chrome



SW Black



BR Bronze



CB Carbongrey



ABF

Full overlay glass (semi-transparent) on aluminium frame (not available with handle) If smoked glass front thickness +2 mm



ABFS
black coloured



ABFA
aluminium coloured








ABFW
white coloured

RG








Frame door (60 mm), veneered or lacquered doors with inner corners of frame with 9 mm radius. Melamine, Laminate and AcryluxTopX ranges as four-piece frame (without inner radius)







Handle positioning

Doors:	vertical	horizontal	horizontal central	flush mounted edge handle profile, horizontal, central	without drilling
Drawers/Pullouts, flap doors:	horizontal central	horizontal central	horizontal central	flush mounted edge handle profile, horizontal, central	without drilling
					
Drillings for handles:					
Center hole distance	128 mm 160 mm 192 mm 320 mm	B47 B69 B49 B71	B46 B68 B48 B70	B26 B27 B28 B29	B66 B99
Drilling for knob:	B11	B11	B24		B00





























Handles without additional charge

Illustration	Order no.	Description	Center hole distance
	88.170	stainless steel 37 mm high	—
	88.180	stainless steel 33 mm high	192 mm
	88.181	chrome polished 33 mm high	192 mm
	88.182	black 33 mm high	192 mm
	88.450	black chrome 30 mm high	160 mm
	88.451	antracite anodized 30 mm high	160 mm
	88.452	black anodized 30 mm high	160 mm

























Handles with additional charge

	KS 204	stainless steel 45 mm high	192 mm
	WKE 206	stainless steel 40 mm high	192 mm
	88.461	black chrome 37 mm high with embossed surface	160 mm
	88.462	black chrome 37 mm high Not available for front panel width/height < 446 mm	320 mm

Handles with additional charge

Illustration	Order no.	Description
Surface mounted handle profile, screwed on the rear side		
	88.630	stainless steel colored 
	88.631	anthracite anodized 
	88.632	black anodized 
	88.633	bronze anodized 
	88.634	brass anodized 
	88.635	chrome polished 
Flush grip, stainless steel coloured		
	88.510	stainless steel colored 
	88.512	black anodized 
	88.513	bronze anodized 
Flush grip, powder-coated		
	Color matched to the front finishes the programs Macau and Milano	
	Not available for Manhattan, Torino, Bilbao ranges	
	88.540	terra 
	88.541	pearl white 
	88.542	kashmir 
	88.543	graphite 
	88.544	light grey 
	88.545	platinum grey 
	88.546	umbra 
	88.547	sand grey 
Flush mounted edge handle profile		
	88.530	stainless steel colored 
	88.531	anthracite anodized 
	88.532	black anodized 
	88.533	bronze anodized 
	88.534	brass anodized 
	88.535	chrome polished 
Recess handle, aluminum		
	88.231	Not available for Manhattan, Torino, Bilbao ranges

Handles with additional charge

Illustration	Order no.	Description																		
Vertical grip profile 	88.514	Not available for Manhattan, Torino, Bilbao ranges aluminum black anodized max. length 2345 mm																		
Recess handle, stainless steel coloured 	88.976	Not available for Manhattan range (mounted on side edge of back side of front panel) only available for fronts of tall units lateral clearance necessary. 																		
Grip Manhattan / glance 	88.007 88.015	The color of the grip profile is according to the selected color of the Manhattan aluminum frame. <table><tr><td>MM</td><td>Brass</td><td></td></tr><tr><td>TP</td><td>Titanium</td><td></td></tr><tr><td>CG</td><td>Chrome</td><td></td></tr><tr><td>SW</td><td>Black</td><td></td></tr><tr><td>BR</td><td>Bronze</td><td></td></tr><tr><td>CB</td><td>Carbongrau</td><td></td></tr></table> length 75 mm length 150 mm	MM	Brass		TP	Titanium		CG	Chrome		SW	Black		BR	Bronze		CB	Carbongrau	
MM	Brass																			
TP	Titanium																			
CG	Chrome																			
SW	Black																			
BR	Bronze																			
CB	Carbongrau																			
Handle for installation at back side of pocket-doors, aluminum black anodized 	88.977																			

WKS stainless steel bar handle with rectangular base, 14 mm Ø

(to be mounted horizontally on doors, drawers and pullouts)



Not available for the following ranges: Nizza, Palermo, Bristol, Oxford, Windsor and Atlanta.

Drill holes for handle: B 38

(not available in combination with 155° hinges)

Horizontal bar handles (drawers/pullouts/flap doors/doors)

Width	Width of front panel	Length of bar	Order. no.	Drilling
300 mm	296 mm	166 mm	WKS 166	154 mm
350 mm	346 mm	216 mm	WKS 216	204 mm
400 mm	396 mm	266 mm	WKS 266	254 mm
450 mm	446 mm	316 mm	WKS 316	304 mm
500 mm	496 mm	366 mm	WKS 366	354 mm
600 mm	596 mm	466 mm	WKS 466	454 mm
700 mm	696 mm	566 mm	WKS 566	554 mm
800 mm	796 mm	666 mm	WKS 666	654 mm
900 mm	896 mm	766 mm	WKS 766	754 mm
1000 mm	996 mm	866 mm	WKS 866	854 mm
1200 mm	1196 mm	1066 mm	WKS 1066	1054 mm

WKE stainless steel bar handle with rectangular base, 14 mm Ø

(to be mounted horizontally on doors, drawers and pullouts)



Not available for the following ranges: Nizza, Palermo, Bristol, Oxford, Windsor and Atlanta.

Drill holes for handle: B 38

(not available in combination with 155° hinges)

Horizontal bar handles (drawers/pullouts/flap doors/doors)

Width	Width of front panel	Length of bar	Order. no.	Drilling
300 mm	296 mm	168 mm	WKE 168	154 mm
350 mm	346 mm	218 mm	WKE 218	204 mm
400 mm	396 mm	268 mm	WKE 268	254 mm
450 mm	446 mm	318 mm	WKE 318	304 mm
500 mm	496 mm	368 mm	WKE 368	354 mm
600 mm	596 mm	468 mm	WKE 468	454 mm
700 mm	696 mm	568 mm	WKE 568	554 mm
800 mm	796 mm	668 mm	WKE 668	654 mm
900 mm	896 mm	768 mm	WKE 768	754 mm
1000 mm	996 mm	868 mm	WKE 868	854 mm
1200 mm	1196 mm	1068 mm	WKE 1068	1054 mm



UNIQUE®

By the system unique eggersmann is designing, developing and manufacturing a collection of kitchens and interior decorations which can hardly be matched for its timelessness and minimalism.

The name unique really says it all.

The focus is on individuality and also exceptional and exclusive materials. The fundamental idea of this system is the homogeneity of all visible surfaces. Front and side panels as well as grip channels, plinth panels and worktops are made of just one identical material. Cutting-edge details such as 45° beveled edges/joints apply to fronts, side panels and worktops. In addition to various types of natural stone, solid stainless steel with silvertouch finish, Corian as well as Fenix NTM can be used.

Nature cannot be standardized

We deliberately use many natural materials in our system unique but, although all our materials conform to the same high standard, no natural stone slab is completely flawless, nor are any two slabs exactly alike.

Therefore, kindly note the following information:

The structure of valuable natural stone surfaces includes characteristics of authenticity, which, in their diversity, do not occur altogether on a small stone sample. In the case of natural stones, strong veins, fine cracks, air pores, mineral inclusions etc. are preserved as characteristics for "real stone". Such variations must be taken for what they are: that is, not faults but proof that real stone slabs have been used. Many slabs are required for a unique kitchen and, within each of those slabs, there are varying degrees of structure, color and veining. This makes the uniform color and structure processing extremely difficult and can lead to the typical appearance of natural stone: partial structural deviations and/or color variations, which, however, underline the naturalness.

Nero Assoluto honed

Material: Granite





Granite is a primordial or deep-seated rock which was formed when the earth’s crust cooled between 500 and 800 million years ago.

- Granite is characterized by its **hardness** and it is **scratch-resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Granite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7012 Nero Assoluto honed

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	1
	Scratch sensitivity	2
	Cleaning and maintenance effort	2

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	40 kg per sqm


from 1 (immune/fine) to 4 (sensitive/suboptimal)

Nero Assoluto waterjet

Material: Granite





Granite is a primordial or deep-seated rock which was formed when the earth’s crust cooled between 500 and 800 million years ago.

- Granite is characterized by its **hardness** and it is **scratch-resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Granite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7038 Nero Assoluto waterjet

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	2

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	39,1 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Pannonia Green leather

Material: Granite





Granite is a primordial or deep-seated rock which was formed when the earth's crust cooled between 500 and 800 million years ago.

- Granite is characterized by its **hardness** and it is **scratch-resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Granite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7068 Pannonia Green leather

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	31,1 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Montank Black honed

Material: Slate





Slate is a 350-million-year-old sedimentary rock. We offer our slate collection with an uneven surface treatment.

- Due to the fine natural layering, the slate is **very dense**. As a result, the intrusion of liquids is almost completely prevented and makes the slate **resistant to stains**.
- Slate is **very sensitive** to **scratches**, but small marks of use can easily be made invisible with the provided care solution.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7011 Montank Black honed

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	1
	Scratch sensitivity	4
	Cleaning and maintenance effort	3

■ max. size for slabs:	2200 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30,9 kg per sqm


from 1 (immune/fine) to 4 (sensitive/suboptimal)

Grigio Carnico leather

Material: Limestone





Limestone is a sedimentary stone of biogenic origin. Limestone products are sandblasted and treated with diamond brushes.

- Veins, cracks and open sections are **considered typical for Limestone** surfaces.
- The **structural capability** of Limestone may be weakened by the **naturally occurring veins and cracks**. Therefore **improper handling and shocks during transport** can lead to **breakage** of fronts, side panels and worktops.
- Limestone is **NOT resistant to acids**.
- **All liquids occuring in the household such as fruit acids, vinegar, wine, water, etc.,** as well as **fats and oils leave marks in the Limestone and have to be removed immediately from the surface**.
- **The marks at the** surface that contains due to regular usage are **unavoidable** and give the Limestone its **distinctive character**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable**.
- **These sensitivities of the Limestone must be specifically explained to the end customer and the acceptance and agreement of the customer must be documented in writing**.



7040 Grigio Carnico leather

Surface characteristics

	Stain sensitivity	4
	Acid sensitivity	4
	Scratch sensitivity	4
	Cleaning and maintenance effort	4

■ max. size for slabs:	2400 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	29,7 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Arabescato polished

Material: Marble





Marble is formed by the metamorphic transformation of limestone, dolomite and other carbonate rocks under the influence of high pressure and high temperature in the core of the earth. Marble is sandblasted and treated with diamond brushes.

- Veins, cracks and open sections are **considered typical for Marble** surfaces.
- The **structural capability** of Marble may be weakened by the **naturally occurring veins and cracks**. Therefore **improper handling and shocks during transport** can lead to **breakage** of fronts, side panels and worktops.
- Marble is **NOT resistant to acids**.
- **All liquids occuring in the household such as fruit acids, vinegar, wine, water, etc.,** as well as **fats and oils leave marks in the Marble and have to be removed immediately from the surface**.
- **The marks at the** surface that contains due to regular usage are **unavoidable** and give the Marble its **distinctive character**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable**.
- **These sensitivities of the Marble must be specifically explained to the end customer and the acceptance and agreement of the customer must be documented in writing**.



7055 Arabescato polished

Surface characteristics

	Stain sensitivity	4
	Acid sensitivity	4
	Scratch sensitivity	4
	Cleaning and maintenance effort	4

■ max. size for slabs:	2400 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	29,7 kg per sqm


from 1 (immune/fine) to 4 (sensitive/suboptimal)

Tauern Green polished

Material: Serpentine





Serpentine is a metamorphic rock that has been formed from original effusive rock under the influence of high pressure in the upper mantle of the earth.

- The material has a high inherent stability due to its **slaty basic structure**.
- Because of the **variations in color, veins and structures** of the stone the gloss level of the **polished surface may vary**. This is a typical characteristic and gives the Serpentine stone its **distinctive character**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable**.



7069 Tauern Green polished

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	3
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Tropical Storm leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7065 Tropical Storm leather

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	1
	Scratch sensitivity	2
	Cleaning and maintenance effort	2

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30,0 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Negresco leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7067 Negresco leather

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30,0 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Breccia Imperiale leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7066 Breccia Imperiale leather

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30,0 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Carbono waterjet

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7051 Carbono waterjet

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	1
	Scratch sensitivity	2
	Cleaning and maintenance effort	2

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	32,7 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Beola Nera leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7056 Beola Nera leather

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	1
	Scratch sensitivity	2
	Cleaning and maintenance effort	2

■ max. size for slabs:	2400 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30,2 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Bianco Nuvola leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7063 Bianco Nuvola leather

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	2
	Scratch sensitivity	2
	Cleaning and maintenance effort	2

- max. size for slabs: 2700 x 1300 mm
- Material thickness: 11 mm
- Material weight: 30 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Macaubas Giotto honed

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7062 Macaubas Giotto honed

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Taj Mahal leather

Material: Quartzite





Quartzite is a metamorphic rock formed when sandy quartz particles and natural cementing agents are subjected to high pressure and high temperatures.

- Quartzite is characterized by its **hardness** and it is **scratch resistant, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Quartzite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7049 Taj Mahal leather

Surface characteristics

	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	31,1 kg per sqm


from 1 (immune/fine) to 4 (sensitive/suboptimal)

Matrix honed

Material: Phyllite





Phyllite is a quartz containing slate formed about 300 million years ago. The slaty surface is achieved by a special brushing process.

- Phyllite is characterized by its **hardness** and it is **rarely scratch-sensitive, acid-resistant, heat-resistant** and **easy to clean** when following the clean and care instructions.
- **Each Phyllite** features **different surface condition** and **air pores** as well as the **different gloss level and color** of contained minerals make each natural stone kitchen **unique**.
- **Variations in the color, structure and open-cell character of natural stones are unavoidable.**



7045 Matrix honed

Surface characteristics

	Stain sensitivity	2
	Acid sensitivity	1
	Scratch sensitivity	3
	Cleaning and maintenance effort	2

■ max. size for slabs:	2700 x 1300 mm
■ Material thickness:	11 mm
■ Material weight:	30 kg per sqm

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Fenix core


Fenix core is a solid laminate material. The surface involves the use of nanotechnology. Thanks to this technology: Besides the main properties, such as an extremely matt, soft touch, and anti-fingerprint surface and the thermal healing of microscratches. This innovative material stands out for specific properties which facilitate normal cleaning and do not require particular maintenance. Fenix core it is extremely easy to clean and is resistant to mold, it has enhanced anti-bacterial properties, it is resistant to rub, scratches and abrasion, as well as to acid solvents and household reagents. Fenix core is heat-proof up to 150° C.



2719 Nano greengrey



7047 Nano black



7048 Nano lotus white



7050 Nano grigio




7058 Nano diamond grey



7059 Nano taupe







7061 Nano iron grey



7064 Nano grey

Surface characteristics


	Stain sensitivity	1
	Acid sensitivity	1
	Scratch sensitivity	1
	Cleaning and maintenance effort	1

- max. size for slabs: 4100 x 1500 mm
- Material thickness: 12 mm
- Material weight: 19 kg per sqm
- Fenix core sink bowls are not available!

from 1 (immune/fine) to 4 (sensitive/suboptimal)

Corian

Corian® is a solid surface and consists of about 2 thirds of natural minerals and 1 third of acrylic resin. The non-porous Corian® can be processed optically seamless and has a hygienic surface and has proven to be durable and user-friendly material.



681 Glacier White

- Material thickness: 12 mm
- Material weight: 23 kg per sqm




7036 Designer White

- Material thickness: 12 mm
- Material weight: 23 kg per sqm

Stainless Steel silverTouch

Material: Hot Rolled Stainless Steel

Solid stainless steel – worktop and panels are 5 mm thick and front panels are 3 mm thick- in 1.4301 (V2A). The silverTouch slabs are hot-rolled and this process creates, in conjunction with atmospheric oxygen during the cool-down process, a surface that is characterized by very good scratch resistance and lowsensitivity. These effects are additionally supported by the hand applied silverTouch grinding surface. Caused by the production process silverTouch may have rolling marks, inclusions, and other imperfections! This is not a manufacturing fault but characteristics of the material.



- max. size for slabs: 4500 x 1480 mm
- Material thickness: 3 mm frontpanels / 5 mm side panels and worktops
- Material weight: 3 mm thickness: / 24 kg per sqm 5 mm thickness: / 40 kg per sqm

908 Stainless Steel silverTouch

Brushed Brass


Solid Brushed Brass – 3 mm thick, waxed finish.

Due to the material properties of brass, the surface may show flowmarks, small scratches or similar irregularities.

In addition, brass oxidizes very easily and quickly in conjunction with atmospheric oxygen.

Brass reacts with ambient oxygen. This causes an oxide layer. As a result, this mentioned effect can be partially intensified, e.g. by hand perspiration or similar. Stains are formed, e.g. as fingerprints.

This is a natural characteristic of the material and has to be accepted.



8911 Brushed Brass

- max. size for slabs: 2980 x 1480 mm
- Material thickness: 3 mm
- Material weight: 24 kg per sqm
- Brushing direction: horizontal
- Due to the described material properties, real brass is not recommended as worktop material



8912 Eccentric grinding Brass

Bronzed Brass



8914 Bronzed Brass


Black steel, waxed

Our black steel waxed is not stainless steel, but structural steel.

The most common types of structural steel fall into the basic steel category. They are mostly low-alloyed and only partially heat-treated.

Due to the manufacturing process, imperfections and color differences in the surface are unavoidable. Pores, marks, slight scratches and discoloration are characteristics of black steel and must be accepted.

Black steel is a material that reacts with its environment, so rust stains can occur in conjunction with acidic substances, among other things. In general, products made of black steel must not be exposed to acidic media, otherwise rust may form.



- max. size for slabs: 3900 x 1400 mm
- Material thickness: 3 mm frontpanels / 5 mm side panels and worktops
- Material weight: 3 mm thickness: / 24 kg per sqm 5 mm thickness: / 40 kg per sqm

7071 Black steel, waxed

Projects

In addition to the individually planned custom made products, eggersmann also produces kitchens for project installations. In recent years many building projects all over the world have been fitted with our high quality products. The volume can vary from a few exclusive penthouse units to a large-scale project with several hundred kitchens. Our project department along with the respective national agency guarantees perfect execution of planning, logistics, assembly and after-sales service.



THE PARKLANE

195 kitchens
Houston TX, USA



V TOWER

48 kitchens
Prague, Czech Republic



FAN YUE 108

166 kitchens
Beijing, China



ELBPHILHARMONIE

14 kitchens
Hamburg, Germany



MOUNT NICHOLSON

67 kitchens
Hong Kong



ARABELLA

100 kitchens
Houston TX, USA



TOPWIN ONE SANLITUN

48 kitchens
Beijing, China



BELFIORE

22 kitchens
Houston TX, USA



ASTORIA

80 kitchens
Houston TX, USA



71 READE ST

17 kitchens
New York, USA



POLY HYDE PARK

264 kitchens
Beijing, China



WATER VILLAS

18 kitchens
Penang, Malaysia



ROYAL OAK COURTYARD

80 kitchens
Houston TX, USA



252 EAST 57TH ST

96 kitchens
New York, USA



JIUZHANG CHINOISERIE VILLA

32 kitchens
Beijing, China

Projects

In addition to the individually planned custom made products, eggersmann also produces kitchens for project installations. In recent years many building projects all over the world have been fitted with our high quality products. The volume can vary from a few exclusive penthouse units to a large-scale project with several hundred kitchens. Our project department along with the respective national agency guarantees perfect execution of planning, logistics, assembly and after-sales service.



211 EAST 13TH ST
88 kitchens
New York, USA



BALK VAN BEEL
120 kitchens
Leuven, Belgium



MOUNT KELLETT ROAD
13 kitchens
Hong Kong



WE'VE THE ZENITH
936 kitchens
Busan, Korea



THE HILL
262 kitchens
Seoul, Korea



MILLENIUM WATER
865 kitchens
Vancouver, Canada



LI YUAN
30 kitchens
Taipei, Taiwan



L'HERMITAGE
224 kitchens
Vancouver, Canada



SIGNATURE
246 kitchens
St. Petersburg, USA



SHANGRI LA
238 kitchens
Vancouver, Canada



UPTOWN
140 kitchens
Munich, Germany

